	Application No.	Applicant(s)
Notice of Allowability		
	10/809,330	GENIER, REJEAN
	Examiner	Art Unit
	Stephen Gravini	3749
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to papers filed through March 3, 2006.		
2. The allowed claim(s) is/are <u>1-14</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☒ None of the:</li> <li>1. ☒ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	nent/Comment
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8.  Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

claims 15-28 have been cancelled.

The following is an examiner's statement of reasons for allowance: the claimed sludge pond collection device with a centrifuge removing solids from the device to create a biosolids composition with a transfer device and a transport vehicle to transport biosolids to a fixed processing plant mixing a stabilizing agent, heating and extruding sterilized pellets, and drying the pellets is not found in the prior art either singly or in combination. The closest prior art is considered Sheets (US 6,863,826) which discloses heating and mixing sludge but not the claimed sterilized pellet extrusion and Pressley et al. (US 6,719,903) which discloses biosolids mixing and heating but not the claimed pellet drying. Other references cited in this application contain one or more of the claimed elements but not whether a person of ordinary skill in the art, possessed with the understanding and knowledge reflected in the prior art, and motivated by the

Application/Control Number: 10/809,330 Page 3

Art Unit: 3749

general problem facing the inventor, would have been lead to make the combination recited in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Gravini whose telephone number is 571 272 4875. The examiner can normally be reached on normal weekday business hours (east coast time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ehud Gartenberg can be reached on 571 272 4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SMG March 23, 2006

Lephen Gram